



Continuous Inkjet

Videojet 1880 print sample guide











Font/Lines	Print Sample*		
4x5 Single	ABCDEFG 12345 4×5		
5x5 Single	ABCDEFG 12345 5×5		
4x7 Single	8BCDEFG 12345 4X7		
5x7 Single	RBCDEF6 12345 5X7		
7x9 Single	ABCDEFG 12345 7X9		
9x12 Single	ABCDEFG 12345 9X12		
10x16 Single	ABCDEFG 12345 10X16		
16x24 Single	ABCDEFG 12345		
25x34 Single	ABCDE 12		
4x5 Twin	ABCDEFGHIJKLMNO 1234567890		
5x5 Twin	ABCDEFGHIJKLMNOP 1234567890 5X5 TL		
4x7 Twin	ABCDEFGHIJKLMNOP 1234567890 4X7 TL		
5x7 Twin	ABCDEFGHIJKLMNOP 1234567890 5X7 TL		
7x9 Twin	ABCDEFGHIJKLMNOP 1234567890 7X9 TL		
9x12 Twin	ABCDEFGHIJKLMN 1234567890 9X12 TL		
10x16 Twin	ABCDEFGHIJKLMNOPQR 1234567890 10X16 TL		
4x5 Three	ABEDEFGHIJKLMNC 1234567890 3 LINES OF PRINT		
5x5 Three	ABCDEFGHIJKL 123567890 5x5 TRI LINE		
4x7 Three	ABCDEFGHIJKLMNO 1234567890 4X7 TRI LINE		
5x7 Three	ABCDEFGHIJKLMNO 1234567890 5X7 TRI LINE		
7x9 Three	ABCDEFGHIJKL 1234567890 7X9 TRI LINE		
4x5 Four	ABCDEFGHIJKLMNO 1234567890 4 Lines of Print 4 X 5 Quad Line		
5x5 Four	ABCDEFGHIJKLMNO 1234567890 4 Lines of Print 5x5 Guad Line		
4x7 Four	ABCDEFGHIJKLMNO 1234567890 4 LINES OF PRINT 4 X 7 QUAD LINE		
5x7 Four	ABCDEFGHIJKLMO 1234567890 4 LINES OF PRINT 5X7 QUAD LINE		
5x5 Five	DAT GUNU LINE RECEFFGHIJKLMNO 1234567890 5 LINES OF PRINT 5 X 5 FIVE LINE 60 MICRON NOZZLE		

Feet/min. Meters/min. 1,097 334 914 279 960 293 800 244 533 163 256 78 305 93 96 29 56 17 452 138 376 115 480 146 400 122 229 70 85 26 56 17 305 93 229 70 85 26 56 17 366 111 305 93 229 70 121 37 233 71 194 59 163 50 136 42 56 17	Max. line speed for font/lines as shown			
914 279 960 293 800 244 533 163 256 78 305 93 96 29 56 17 452 138 376 115 480 146 400 122 229 70 85 26 56 17 305 93 229 70 85 26 56 17 305 93 229 70 85 26 56 17 366 111 305 93 274 84 229 70 121 37 123 71 194 59 163 50 136 42	Feet/min.	Meters/min.		
960 293 800 244 533 163 256 78 305 93 96 29 56 17 452 138 376 115 480 146 400 122 229 70 85 26 56 17 305 93 229 70 85 26 56 17 366 111 305 93 229 70 121 37 233 71 194 59 163 50 136 42	1,097	334		
800 244 533 163 256 78 305 93 96 29 56 17 452 138 376 115 480 146 400 122 229 70 85 26 56 17 305 93 229 70 85 26 56 17 305 93 229 70 11 305 305 93 274 84 229 70 121 37 123 71 194 59 163 50 136 42	914	279		
533 163 256 78 305 93 96 29 56 17 452 138 376 115 480 146 400 122 229 70 85 26 56 17 305 93 229 70 85 26 111 305 305 93 274 84 229 70 121 37 123 71 194 59 163 50 136 42	960			
533 163 256 78 305 93 96 29 56 17 452 138 376 115 480 146 400 122 229 70 85 26 56 17 305 93 229 70 366 111 305 93 274 84 229 70 121 37 123 71 194 59 163 50 136 42	800	244		
256 78 305 93 96 29 56 17 452 138 376 115 480 146 400 122 229 70 85 26 56 17 366 111 305 93 274 84 229 70 121 37 123 71 194 59 163 50		163		
96 29 56 17 452 138 376 115 480 146 400 122 229 70 85 26 56 17 366 111 305 93 274 84 229 70 121 37 123 71 194 59 163 42				
56 17 452 138 376 115 480 146 400 122 229 70 85 26 56 17 366 111 305 93 274 84 229 70 121 37 123 71 194 59 163 42	305	93		
452 138 376 115 480 146 400 122 229 70 85 26 56 17 366 111 305 93 274 84 229 70 121 37 121 37 123 71 194 59 163 50 136 42	96	29		
376 115 480 146 400 122 229 70 85 26 56 17 366 111 305 93 274 84 229 70 121 37 121 37 123 71 194 59 163 42	56	17		
480 146 400 122 229 70 85 26 56 17 366 111 305 93 274 84 229 70 121 37 123 71 194 59 163 50 136 42	452	138		
400 122 229 70 85 26 56 17 366 111 305 93 274 84 229 70 121 37 123 71 194 59 163 50 136 42	376	115		
229 70 85 26 56 17 366 111 305 93 274 84 229 70 121 37 194 59 163 50 136 42	480	146		
85 26 56 17 366 111 305 93 274 84 229 70 121 37 233 71 194 59 163 50 136 42	400	122		
56 17 366 111 305 93 274 84 229 70 121 37 233 71 194 59 163 50 136 42	229	70		
366 111 305 93 274 84 229 70 121 37 233 71 194 59 163 50 136 42	85	26		
305 93 274 84 229 70 121 37 233 71 194 59 163 50 136 42	56	17		
274 84 229 70 121 37 233 71 194 59 163 50 136 42	366	111		
229 70 121 37 233 71 194 59 163 50 136 42	305	93		
121 37 233 71 194 59 163 50 136 42	274	84		
233 71 194 59 163 50 136 42	229	70		
194 59 163 50 136 42	121	37		
163 50 136 42	233	71		
136 42	194	59		
	163	50		
56 17	136	42		
	56	17		


Videojet 1880 print sample guide					
Description	Print Sample*				
Choice of 60 or 70 micron nozzle Options to print standard sized codes or bigger, bolder codes for higher contrast	ABCDEFGHIJKLMMOP 123456789 5X7 TL ABCDEFG 123 ABCDEFGHIJK 1234567890 60 Micron nozzle	ABCDEFGHIJKLMNOP 123456789 5X7 TL ABCDEFG 123 ABCDEFGHIJK 1234567890 70 Micron nozzle			
Linear bar codes Wide range of bar codes for automatic identification. UPC-A&E EAN-8&13; Code 128 A, B&C EAN-128; Code 39; Interleaved 2 of 5	Code 39 with human readable	Image: 0021081998111360 Interleaved 2 of 5 Image: 0021081998111360 Image: 0021081998111360 Interleaved 2 of 5 Image: 0021081998111360 Image: 002108199811360 Image: 0021081			
2D Codes Wide range of standard 2D DataMatrix and QR (Max. line speed for 24x24 2D code as shown is 73fpm / 22mpm)					
Multi-stroke Highlight words or numbers and make codes darker and bolder	5X7 TWIN LINE Double stroke				
Tower print Stacked and automatic reverse	Т 0 W ЯПЕОН ЯПЕОН ЯПЕОН E R				
Inverted / mirrored / inversed characters Accommodates product lines going any direction and products in various orientations on the production line	NON-INVERTED MESSAGE NON-MIRRORED MESSAGE NON-INVERSED MESSAGE INVERTED WESSBOE 33A883M 0390991M MUMICASED MESSAGE				
Unique-character languages	有效期至 道味期限 2020年08月 <i>Chinese</i> ロース マロン Chinese ロース Chinese ロース Chinese ロース Chinese ロース Chinese ロース Chinese ロース Chinese ロース Chinese ロース Chinese ロース Chinese ロース Chinese ロース Chinese ロース Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese Chinese				
Graphics and logos Create custom logos on PC and upload via USB	VIDEOJET	۵ ۵			

*The print sample codes shown in this guide are for illustrative purposes only. Actual coding is dependent on environment, application, raster and substrate. The Videojet 1880 CIJ printer uses automatic select function to determine the suitable raster for the actual print speed. Please ask your local Videojet representative to see print samples in your specific application.

Peace of mind comes as standard

Videojet Technologies is a world-leader in the product identification market, providing in-line printing, coding, and marking products, application specific fluids, and product LifeCycle Support.

Our goal is to partner with our customers in the consumer packaged goods, pharmaceutical, and industrial goods industries to improve their productivity, to protect and grow their brands, and to stay ahead of industry trends and regulations. With our customer application experts and technology leadership in Continuous Inkjet (CIJ), Thermal Inkjet (TIJ), Laser Marking, Thermal Transfer Overprinting (TTO), case coding and labeling, and wide array printing, Videojet has more than 400,000 printers installed worldwide. Our customers rely on Videojet products to print on over ten billion products daily. Customer sales, application, service and training support is provided by direct operations with over 4,000 team members in 26 countries worldwide. In addition, Videojet's distribution network includes more than 400 distributors and OEMs, serving 135 countries.



Mark-Line Systems OÜ info@markline.ee +372 6235575 Sära tee 11-3, Peetri, Harjumaa

www.videojet.com

Videojet Technologies Inc. 1500 Mittel Blvd. Wood Dale IL 60191 / USA ©2021 Videojet Technologies Inc. — All rights reserved. Videojet Technologies Inc.'s policy is one of continued product improvement. We reserve the right to alter design and/or specifications without notice.

Part No. SL000690 pg-1880-us-0121 Printed in U.S.A.

